

#### **LAYOUT NOTES:**

- 1. ESTABLISH HORIZONTAL BASELINES AND OFFSET LINES PARALLEL AND PERPENDICULAR AS INDICATED FROM THE EXISTING CONTROL POINTS SET BY OWNER. VERTICAL CONTROL IS RELATIVE WITHIN THE WORKSITE. ESTABLISH SPECIFIC VERTICAL RELATIONSHIPS PRIOR TO STARTING WORK. ESTABLISH A MINIMUM OF TWO VERTICAL CONTROL POINTS AND MAINTAIN THEM THROUGHOUT THE PROJECT. THE BASELINES AND OFFSET LINES ARE TO BE ESTABLISHED AS SHOWN ON THE PLAN.
- 2. ALL CURVED LINES INDICATED ON THE LAYOUT SHALL BE CONTINUOUS AND WITHOUT DEVIATION. ABRUPT VERTICAL OR HORIZONTAL CHANGES ARE NOT ACCEPTABLE. STAKE CONCRETE FORMS ADEQUATELY TO PREVENT SUDDEN BENDS.
- 3. NOTIFY THE ENGINEER OF HORIZONTAL OR VERTICAL DISCREPANCIES IMMEDIATELY. DO NOT PROCEED WITH WORK WHICH MAY RESULT IN ACCUMULATED ERROR.
- 4. NOTIFY ENGINEER OF LAYOUT DISCREPANCIES WITH ELEMENTS TO REMAIN AND PROPOSED ELEMENTS. DO NOT PROCEED WITH WORK WHICH MAY RESULT IN ACCUMULATED ERROR.
- 5. STAKE OUT PAVING AND SITE FURNISHINGS PRIOR TO THE INSTALLATION OF THESE ITEMS. INSTALLATION MAY PROCEED AFTER SECURING APPROVAL FROM THE ENGINEER.
- 6. SIGNS TO BE RELOCATED PER ENGINEER'S FIELD DIRECTION.

# >>>>CAUTION - CALL 811<>>> UTILITY NOTIFICATION CENTER BEFORE YOU DIG! WWW.CALL811.COM

Also, verify all underground utilities not located by the 811 service by using a commercial location service and call SPR Inspection Request Line (206) 684-7034.

3		
2		
1		
NO.	REVISION - AS BUILT	DATE
•		

REVIEWED:

PARK ENGINEER

DATE

All work done in accordance with the City of Seattle Standard Plans and Specifications in effect on the date shown above, and supplemented by Special Provisions.



300 ELLIOTT AVE. W., SUITE 100 SEATTLE, WA 98119






**SPRUCE STREET MINI PARK** 

## PLAY AREA RENOVATION

## LAYOUT PLAN

DESIGNED ML	DATE JUNE 2022
DRAWN ML	
CHECKED SH/PA	SHEET J OF 13
ORDINANCE NO. 126000	_ 5
SPECIFICATION NO. N/A	_
scale 1"=10'	



## **LEGEND** CONCRETE PAVING WITH JOINTS CONCRETE PAVING WITH JOINTS (ADDITIVE 1) CONCRETE PAVING WITH JOINTS (ADDITIVE 2) ENGINEERED WOOD FIBER SAFETY SURFACING ARBORIST WOOD CHIP (4" DEPTH) SEEDED LAWN WALL/SEAT WALL BENCH GAME TABLE DRINKING FOUNTAIN LANDSCAPE BOULDERS ROCKERY N 223349.63\_ E 1277298.31 NORTHING, EASTING R12.0' NORTHING, EASTING © CENTER OF RADIUS E 1277298.06


### **LAYOUT NOTES:**

- 1. ESTABLISH HORIZONTAL BASELINES AND OFFSET LINES PARALLEL AND PERPENDICULAR AS INDICATED FROM THE EXISTING CONTROL POINTS SET BY OWNER. VERTICAL CONTROL IS RELATIVE WITHIN THE WORKSITE. ESTABLISH SPECIFIC VERTICAL RELATIONSHIPS PRIOR TO STARTING WORK. ESTABLISH A MINIMUM OF TWO VERTICAL CONTROL POINTS AND MAINTAIN THEM THROUGHOUT THE PROJECT. THE BASELINES AND OFFSET LINES ARE TO BE ESTABLISHED AS SHOWN ON THE PLAN.
- 2. ALL CURVED LINES INDICATED ON THE LAYOUT SHALL BE CONTINUOUS AND WITHOUT DEVIATION. ABRUPT VERTICAL OR HORIZONTAL CHANGES ARE NOT ACCEPTABLE. STAKE CONCRETE FORMS ADEQUATELY TO PREVENT SUDDEN BENDS.
- 3. NOTIFY THE ENGINEER OF HORIZONTAL OR VERTICAL DISCREPANCIES IMMEDIATELY. DO NOT PROCEED WITH WORK WHICH MAY RESULT IN ACCUMULATED ERROR.
- 4. NOTIFY ENGINEER OF LAYOUT DISCREPANCIES WITH ELEMENTS TO REMAIN AND PROPOSED ELEMENTS. DO NOT PROCEED WITH WORK WHICH MAY RESULT IN ACCUMULATED ERROR.
- 5. STAKE OUT PAVING AND SITE FURNISHINGS PRIOR TO THE INSTALLATION OF THESE ITEMS. INSTALLATION MAY PROCEED AFTER SECURING APPROVAL FROM THE ENGINEER.
- 6. SIGNS TO BE RELOCATED PER ENGINEER'S FIELD DIRECTION.

— · · · — CONSTRUCTION LINMIT

# >>>>CAUTION - CALL 811<

Also, verify all underground utilities not located by the 811 service by using a commercial location service and call SPR Inspection Request Line (206) 684-7034.



PARK ENGINEER DATE

All work done in accordance with the City of Seattle Standard Plans and Specifications in effect on the date shown above, and supplemented by Special Provisions.



300 ELLIOTT AVE. W., SUITE 100 SEATTLE, WA 98119





SPRUCE STREET MINI PARK

## PLAY AREA RENOVATION

## LAYOUT & GRADING PLAN

DESIGNED ML	DATE JUNE 2022
DRAWN ML CHECKED SH/PA	sheet <u>6</u> of <u>13</u>
ORDINANCE NO. 126000	6
SPECIFICATION NO. N/A	_



