


PIONEER SQUARE  
EAST-WEST PEDESTRIAN IMPROVEMENTS  
REQUEST FOR CERTIFICATE OF APPROVAL

PIONEER SQUARE PRESERVATION BOARD  
**UPDATE 2/17/2023**



**MIG** | PERTEET | STUDIO MATTHEWS |  
HEFFRON TRANSPORTATION | CONCORD |  
HWA | WHPACIFIC | CHUDGAR

# GRANITE COBBLE PAVER - INCLUSIVE STREETScape LANGUAGE




SPLIT FACE FINISH

MAX DEFLECTION: 1/2"

Suppliers: SDOT Material Yard + Marenakos Rock Center



**2/17/23 Revision:**  
Exposed Aggregate in roadway cement concrete pavement along 2' zone adjacent to travel lane (cobble pavers deleted). Roadway cement concrete pavement color the same as the travel lane, which is light grey to match lamp black effect of Pioneer Square District Standard.



2'X2' PARKING ZONE CONCRETE PAVING - DARK GREY (DG) = SOLOMON SGS ONYX 920 OR SIMILAR APPLIED AT 4% LOADING  
ALL CONCRETE SIDEWALK AND ROADWAY BROOM SWEEP SURFACE FINISH TOOLED JOINTS WITH NO SHINER

**2/17/23 Revision:**  
Dark grey cement concrete pavement in parking zones to be extended through no parking zones (cobble pavers and thermal cobble pavers deleted).



# S WASHINGTON STREET EXISTING





# S WASHINGTON ST PERSPECTIVE






# S WASHINGTON AND S MAIN STREET MATERIALS

## SIDEWALK AND ROADWAY CONCRETE



2'X2' SIDEWALK CONCRETE PAVING AND ROADWAY CONCRETE PANELS - LIGHT GREY (LG) = SOLOMON ONYX 920 OR SIMILAR APPLIED AT 1% LOADING

TO MATCH THE LAMP BLACK EFFECT OF THE PIONEER SQUARE DISTRICT STANDARD



2'X2' PARKING ZONE CONCRETE PAVING - DARK GREY (DG) = SOLOMON SGS ONYX 920 OR SIMILAR APPLIED AT 4% LOADING

ALL CONCRETE SIDEWALK AND ROADWAY BROOM SWEEPED SURFACE FINISH TOOLED JOINTS WITH NO SHINER

**2/17/23 Revision:** Also to be used in non-parking zones/pullout zones (thermal cobble pavers deleted) for on-street parking.

DRY PIGMENT DOSAGE RATES (25 LB. & 6.25 LB. BAGS)			
1% LOADING	2% LOADING	3% LOADING	4% LOADING
1 - 6.25 lb. bag per 1 yd <sup>3</sup> 1 - 25 lb. bag per 4 yds <sup>3</sup>	2 - 6.25 lb. bag per 1 yd <sup>3</sup> 1 - 25 lb. bag per 2 yds <sup>3</sup>	4 - 6.25 lb. bag per 1.5 yd <sup>3</sup> 1 - 25 lb. bag per 1.5 yds <sup>3</sup>	4 - 6.25 lb. bag per 1 yd <sup>3</sup> 1 - 25 lb. bag per 1 yd <sup>3</sup>
1 - 6.25 lb. bag per 3/4 m <sup>3</sup> 1 - 25 lb. bag per 3 m <sup>3</sup>	2 - 6.25 lb. bags per 3/4 m <sup>3</sup> 2 - 25 lb. bag per 3 m <sup>3</sup>	3 - 6.25 lb. bags per 3/4 m <sup>3</sup> 3 - 25 lb. bag per 3 m <sup>3</sup>	4 - 6.25 lb. bags per 3/4 m <sup>3</sup> 4 - 25 lb. bag per 3 m <sup>3</sup>
338 Earthen 288 Rosemary 755 Trail Dust 385 Taupe 242 Sandstone 5092 Olive <b>920 Slate</b> 492 Mauve 115 Limestone	338 Rawhide 288 Ginger 755 Driftwood 385 Lava 242 Sahara 5092 Sage 920 Smoke 492 Merlot 115 Shell	338 Buckskin 288 Bamboo 755 Spice 385 Buffalo 242 Sandalwood  920 Charcoal 492 Lilac 115 Yellow	338 Leather 288 Straw 755 Apricot 385 Bark 242 Nutmeg 5092 Avocado <b>920 Onyx</b> 492 Garnet 115 Safety Yellow

## DETECTABLE WARNING PLATE



PRE-WEATHERED CAST IRON. NATURAL IRON PATINA CAST-IN-PLACE, NON-SLIP

WHERE USED, CURB RAMPS AND ADJACENT CONCRETE CONTAINS NO ADDED GREY COLOR, TO ADD VISUAL CONTRAST, PER SDOT ADA COORDINATION.

Supplier: TUFTILE

## GRANITE COBBLE



SALVAGED GRANITE COBBLES  
Supplier: SDOT material Yard



NEW GRANITE COBBLES  
SIERRA WHITE GRANITE  
Supplier: Marenakos Rock Center

## COBBLE PAVER FINISHES



SPLIT FACE  
MAX DEFLECTION: 1/2"



**2/17/23 Revision:** Exposed Aggregate in roadway cement concrete pavement along 2' zone adjacent to travel lane (cobble pavers deleted). Roadway cement concrete pavement color same as travel lane, which is light grey to match lamp black effect of Pioneer Square District Standard and have 2x2 scoring.

## 4" METAL GRATED CAP



4" ROUND SATIN CHROME GRATE WITH PVC COLLAR

ADA COMPLIANT AND HEEL-PROOF. CONNECTS TO SLOTTED DRAIN FOR AIR/WATER FLOW UNDER PAVEMENT WHERE SOIL CELLS ARE PRESENT, PER PLANS.