

INDEX

Note: Bold/Italicized Sections

Selected sections are bold/italicized where they may be particularly helpful for understanding the use of the term.

Section Key

For each section number, the initial letter indicates the relevant code or chapter as follows:

- C: 2018 Seattle Commercial Energy Code.
- R: 2018 Seattle Residential Energy Code.
- A, B, D, or E: Washington State Energy Code Appendix Chapters, reprinted in this document beginning on page AE-3. (Appendix C, Exterior Design Conditions, is also found in the reprinted Washington State Energy Code Appendix beginning on page AE-45.)

A

ABOVE-GRADE EXTERIOR CONCRETE SLABS

C402.2.9

ADDITIONAL EFFICIENCY PACKAGE

C502.1.1

ADDITIONAL ENERGY EFFICIENCY CREDIT

C406.1

AFFORDABLE HOUSING

C202, **C412.1**, C412.1 Option 3, C412.1 Note Option 4

AIR BARRIERS

C103.2.1, C202, C402.1.2.1, C402.2.1.2, C402.2.7, **C402.5.1**, C402.5.1.1, C402.5.1.1 Note, C402.5.1.2, C402.5.1.2.1, C503.1

R202, Table R402.4.1.1, R403.3.7, Table R405.5.2(2)

A102.2.5.3, A103.3.6.3

AIR LEAKAGE

C104.2.2, C104.2.4, C202, C402.1, **C402.5**, C402.5.1.1 Note, C402.5.1.2, C402.5.1.2.1, C402.5.8, C403.7.8.3, C403.10.1.1, C403.10.2.3, C406.11.1, Table C407.2, C503.3

R104.2.2, R104.2.4, R202, R401.3, R402.4, R402.4.1.2, R402.4.3, R402.4.5, R403.3.2.1, R403.3.3, Table R405.2, R405.4.2, Table R405.5.2(1), Table R406.3

A108.1, Table A108.1(1)

AIRSPACE

C402.2.5, **C402.2.7**

R303.1.3, Table R303.1.3(2), Table R303.1.3(5)

A103.2.1, Table A103.3.7.1(2), Table A107.1(1)

ASHRAE STANDARD 90.1 APPENDIX G

C401.3.4, **C407.3**

ASHRAE STANDARD 90.4

C403.1.3, C405.1

B**BUILDING ENVELOPE**

C103.6.1, C202, C401.3.3, C402.1, C402.1 Note, C402.1.1.2, C402.1.1.3, C402.1.5, Table C402.4, C402.4.1, C402.5.1, C402.5.1.2, C402.5.5, C403.4.1, C403.10.1.1, C403.10.1.2, Table C403.10.1.2, C406.11.1, C407.2, C407.3.1, C501.4.1, C503.1, C503.3, C503.8.3, C505.1

R202, R401.3, Table R402.4.1.1, Table R405.5.2(1), Table R406.3, R502.1.1.1, R503.1.1

Table A103.3.7.2

BUILDING PERFORMANCE FACTORS (BPF)

C401.3.1.1, C401.3.3, C401.3.4, C401.3.6, C407.3, **Table C407.3(2)**, C412.1, C503.8.3

C**CARBON**

C101.3, C202, C401.3.1.2, C401.3.4, C402.2.9, Table C403.3.2(8), C403.6.10, C403.7.5, Table C403.8.1(2), C403.12, C407.3, Table C407.3(1), C503.2, C503.3.2, C503.3.3, C505.1

R405.3, Table R405.3, R406.2

D201, Table C407.1

CARBON EMISSION FACTOR

C202, C407.3, **Table C407.3(1)**

Table R405.3

D201, Table C407.1

CENTRAL SERVICE WATER HEATING SYSTEM

C404.2.3, C404.2.3 Note, C404.9

CHANGE IN SPACE CONDITIONING

C503.2, C503.3

R503.2

CHANGE OF OCCUPANCY

C202, C406.1, C501.1, C503.3, **C505**, C505.1

R406.1, R501.1, R505, R505.1

COMBUSTION DECORATIVE VENTED APPLIANCE

C403.4.7.1

COMMERCIAL FOOD SERVICE

C403.15, Table C407.2

COMMISSIONING COMPLIANCE CHECKLIST

C408.1.4.1, **Figure C408.1.4.1**, Figure C408.1.4.1 Note

COMPONENT PERFORMANCE

C103.6.3, C402.1, C402.1.1.2, C402.1.3, Table C402.1.4, **C402.1.5**, C402.2.1.2, C402.2.9, C402.4, C402.4.1.1, C410.1, C410.2, C502.2.1, C502.2.2, C503.2, C503.3.2, C503.3.3, C503.8.3, C505.1

A108.1

COMPRESSED AIR

C403.14

CONTINUOUS INSULATION

C202, C303.1.5.2, C303.2.2, C402.1.3, Table C402.1.3, **Table C402.1.3(i)**, Table C402.1.4, C402.2.1, C402.2.5, C402.2.10

R202, Table R402.1.1, R402.1.2, R402.2.7, Table R402.4.1.1

A102.2.5, Table A102.2.5, A102.2.5.3, A102.2.6, A103.3.6.3, Table A103.3.6.1(1), Table A103.3.6.3, Table A103.3.7.1(2)

CONTROLLED RECEPTACLES

C405.1, **C405.10**, C405.10 Note, C405.12, Table C407.2, C408.1.2.2, Figure C408.1.4.1, C408.4, C408.4.1, C503.6, C503.6.6

D

DATA CENTER

C202, C401.3.2, C401.3.7, C403.1, C403.1.1, **C403.1.3**, Table C403.3.2(9), C403.6.10, C405.1, Table C405.4.2(2), Table C407.2

DAYLIGHT ZONES

C103.2.1, C202, C402.4.1.1.1, C402.4.2, C402.4.2.1, **C402.4.2.3**, C405.2, C405.2.3.1, , C405.2.4, C405.2.4.1, C405.2.4.1.1, C405.2.4.2, C406.4.1

DDC CONTROL

C403.4.11.2, C403.6.10

DEDICATED OUTDOOR AIR SYSTEM (DOAS)

C202, **C403.3.5**, C403.3.5.1, C403.4.1, C403.5, C403.8.1, C403.9.2.4, Table C406.1, **C406.6**, C406.7
Table D601.11.1

DEMAND CONTROL VENTILATION

C202, C403.3.5.1, C403.6.10, **C403.7.1**, C403.12, C503.4

DWELLING AND SLEEPING UNIT LIGHTING EFFICACY

C405.1.1

DWELLING AND SLEEPING UNITS

C403.1.4, C403.3.6, C405.1.1

DWELLING UNIT

C104.2.5, C202, C402.5.7, C403.1.1, C403.1.4, C403.4.2, **C403.4.9**, C404.9, C405.1, C405.1.1, C405.2.5, C405.2.6, Table C405.4.2(1), Table C405.4.2(2), C405.5.2, C405.7, C405.7.1, Table C406.1, C406.3, C406.3.3, Table C407.2, C409.1, C409.1.3, C409.3, C505.1

R104.2.4, R202, R401.2, R402.3.3, R402.4.1.2, R403.1.1, R403.8, Table R405.2, Table R405.5.2(1), R406.3, Table R406.3, R501.1.2, R505.1

D101, D601.2.1, D601.7

DYNAMIC GLAZING

C202, **C402.4.3.3**

E

ECONOMIZER

C103.2.1, C104.2.4, C202, C403.2.2.1, C403.2.2.2, Table C403.3.2(9), C403.3.2.5, C403.4.1, C403.5, Table C403.5(11), Table C403.5(3), C403.5.1, C403.5.2, C403.5.3, C403.5.3.1, C403.5.3.2, C403.5.3.3, Table C403.5.3.3, C403.5.3.4, C403.5.3.5, C403.5.4, C403.5.4.1, C403.5.4.2, C403.5.5, C403.6.1, C403.6.10, C403.7.1, C403.7.6, C403.7.7.2, C403.7.7.3, C403.7.8.2, C403.7.8.4, C403.8.5.1, C403.9.2.4.3, C403.12, Table C407.2, C410.3.2, C503.4.2, C503.4.3, **Table C503.4**, C503.4.4

Table D601.11.2, Table D602.11

ELECTRONIC THERMOSTATIC MIXING VALVE (TMV)

C404.7.1.3

ENERGY RECOVERY VENTILATION SYSTEM

C202, **C403.7.6**

INDEX

ENERGY RECOVERY VENTILATION WITH DOAS

C403.3.5.1

F

FAN ENERGY INDEX (FEI)

C403.8.3

FAULT DETECTION AND DIAGNOSTICS

C403.5.5, C403.6.10, C403.12, Table C407.2

FIRE PIT

C403.4.7.1

FOSSIL FUEL COMBUSTION

401.3.3, *403.1.4*, 404.2.3, C406.2.1, C406.6, C4.6.7, C406.8

FULL CUTOFF LUMINAIRES

C405.5.5

G

GAS APPLIANCE

C405.7.1

GERMICIDAL LIGHTING

C405.4.1

GREENHOUSES

C202, C402.1.1, *C402.1.1.3*, *C405.4.1*

R402.1

GUESTROOM

C403.4.8, *C403.7.4*, C403.7.4.1, C403.7.4.2, Table C407.2

H

HEAT PUMP

C202, C402.1.1.3, C402.1.2, C403.1.1, C403.1.4, C403.3.2, C403.3.2 Note, C403.3.2.1, Table C403.3.2(1)C, Table C403.3.2(2), Table C403.3.2(3), Table C403.3.2(11), Table C403.3.2(12), **Table C403.3.2(13)**, C403.3.2.4, C403.4.1.1, C403.4.3.3, C403.4.3.3.1, C403.4.3.3.2, C403.4.3.3.3, C403.4.4, C403.4.9, C403.4.10, C403.5, C403.6.10, C403.9.1, C403.9.2.4.1, C403.9.2.4.4, C403.12, Table C404.2, C404.2.1, C404.2.2, C404.2.3, C404.2.3.1, C404.2.3.1 Note, C404.2.3.3, C404.11.1, C406.8.2, C406.9, Table C503.4, C503.4.6 Note, C506.2.2

R202, R403.1.1, R403.1.2, R403.7.1, R403.10.3, Table R405.2, Table R405.5.2(1), Table R406.2, Table R406.3

D501, Table D601.11.1, Table D601.11.2, Table D602.11

HEAT PUMP SUPPLEMENTARY HEAT

C403.4.1.1

R403.1.2

HEAT RECOVERY CHILLER

C403.1.1, C403.3.2, C403.3.2 Note, Table C403.3.2(13), C403.5, C403.6.10, C403.9.2.4.1, C403.9.2.4.4, C403.12, C406.8.2, C403.1.1, C403.3.2, C403.3.2 Note, **Table C403.3.2(13)**

HEATED WATER SUPPLY PIPING

C202, *C404.3*, R202

HIGH EFFICIENCY VARIABLE AIR VOLUME (VAV) SYSTEMS

C403.3.5, *C403.6.10*

HIGH INPUT-RATED SERVICE WATER HEATING SYSTEMS*C404.2.1, C404.2.2***HOISTWAYS***C402.1.2.1, C403.7.8.1, C403.7.8.4*

Table A103.3.7.2

HVAC TOTAL SYSTEM PERFORMANCE RATIO (TSPR)C202, *C403.1.1*, C406.2

D101, D201, D501

HYDRONIC SYSTEM FLOW RATE*C403.3.7*, Table C407.2**I****INDOOR PLANT GROWTH SPACES***C405.4.1***INSULATION OF PIPING***C404.6***ISOLATION VALVE***C403.4.3.3.3***L****LANDMARKS**C202, *C501.6*, C503.8

R101.6, R503 Note

LOADING DOCK WEATHERSEALS*C402.5.6***LOADING DOCK**C402.5.6, C403.4.1.6, C403.7.5, *C403.7.5.1*, Table C405.4.2(2)**LOW ENERGY BUILDING**C402.1.1, *C402.1.1.1*

R407.3, R407.3.1

M**MANDATORY COMPLIANCE MEASURES***Table C407.2*, Table R405.2**MASS TRANSFER DECK SLAB EDGE***Table C402.1.3, Table C402.1.4*, C402.2.9**METERING**C202, C401.3.8, C404.9, C405.7, Table C407.2, C408.1, C408.1.2.2, C408.1.3, Figure C408.1.4.1, C408.6, C408.6.1, *C409*, C409.1, C409.1.1, C409.1.2 Note, C409.1.3, C409.2, C409.2.1, C409.3, C409.3.2, C409.3.5, C409.3.6, C409.3.7, C409.4.1, C409.4.4, C409.4.4 Note, C411.8, *C506*, C506.1, C506.2, C506.2.1, C506.2.2, C506.3, C506.4**MOTOR VEHICLE REPAIR GARAGE***C403.7.5*

P

PARKING GARAGE

C202, C402.5.7, C402.5.7 Note, C403.2.3, C403.7.5, **C403.7.5.2**, Table C403.10.1.2, C405.2.1.1, C405.2.1.4, C405.2.3, C405.2.4.2, Table C405.4.2(1), C405.5.3, C503.6.1

Table A103.3.7.2, A105.2.4, Table B102, Table B103(6)

PHOTOSYNTHETIC PHOTON EFFICACY (PPE)

C405.4.1

PIPE INSULATION

C103.2.1, Table C403.10.3, C404.6, **C404.7.3.1**

R103.2.1, R403.5.3, Table R406.3

PRESSURE INDEPENDENT CONTROL VALVES

C403.4.12, Table C407.2

R

REFRIGERANT PIPING

C202, C403.10.3, **C403.10.4**

R202

RENEWABLE ENERGY

C202, C404.2.1, C404.2.2, C405.1, **C406.1.1.1**, Table C406.1, **C406.5**, C406.8.2, C407.3, Table C407.2, Table C407.3(1), C409.1, C409.2.4, **C412**, C412.1, C412.1 Note, C403.10.3

Table R405.3, Table R406.3

Table C407.1, D601.10, D602.10, E101.1

ROOMS CONTAINING FUEL-BURNING APPLIANCES

C402.5.3

S

SEMI-HEATED BUILDINGS

C402.1.1, C402.1.1.1, **C402.1.1.2**

SINGLE-ZONE VARIABLE AIR VOLUME (VAV) SYSTEMS

C403.12

SLEEPING UNIT

C101.2, C202, C402.5.7, C403.1.4, C403.3.6, **C403.4.10**, C403.7.6, C404.2.3, C404.9, C405.1, C405.1.1, C405.2.5, Table C405.4.2(1), Table C405.4.2(2), C405.7, C406.3, C406.3.3, Table C407.2, C409.1, C409.3, C503.4.6 Note

R101.2, R401.2

SOLAR READINESS

C405.1, Table C407.2, **C411**

SOLAR ZONE

C202, **C411.1**, C411.2, C411.3, C411.4, C411.5, C411.6, C411.7, C411.8

SPANDREL

C202, **C303.1.5**, C303.1.5.2, Table C303.1.5, C402.4.1

R202

A103.3.6.3

STAIRWAY

C202, C402.5.4, C402.5.5, C402.5.7 Note, C403.7.8.4, C405.2.1, C405.2.1.1, **C405.2.1.5**, Table C405.5.3(2)

STORAGE TANK INSULATION

C404.6.1

STREET-LEVEL TRANSPARENCY

C402.4.1

SUBSTANTIAL ALTERATIONS

C503.1, C503.4.6, **C503.8**, C503.8.1, C503.8.1 Note, C503.8.3

T**TARGET PERFORMANCE PATH**

C401.2, C401.3, C401.3.1, C401.3.1.2, C401.3.3, Table C402.1.4, C402.2.9, C403.5, Table C407.2

TENANT SPACES

C104.2.2, C403.1.4, **C406.1.1**, C406.1.1 Note, C406.1.1.1, C406.1.1.2, C406.2, C406.3, C406.4, C406.5, C406.6, C406.7, C406.8, C406.8.1, C406.9, C407.3, C409.1, C409.3, **C409.3.7**, C503.4.5, C506.3

THROUGH-WALL MECHANICAL EQUIPMENT

Table C402.1.3, **C402.1.4.2**, Table C402.1.4

V**VACUUM AIR**

C403.14

VARIABLE AIR VOLUME (VAV)

C403.1.4, C403.2.3, C403.3.2.4, C403.3.5, Table C403.4.11.1, C403.5.2, C403.6.1, C403.6.2, C403.6.3, C403.6.5, C403.6.6, C403.6.9, C403.6.10, C403.7.6, C403.7.7.2, C403.8.1, C403.8.3, C403.12

Table D601.11.1, Table D601.11.2

VERTICAL FENESTRATION

C202, C303.1.3, Table C303.1.3(5), C402.1.5, C402.1.5.2, **C402.2.10**, Table C402.4, C402.4.1, C402.4.1.1, C402.4.1.1.1, C402.4.1.1.2, C402.4.4, C405.2.4.2, C502.2, C502.2.1, C503.3.2

R202, R303.1.3, Table 303.1.3(5), R402.5, Table R405.5.2(1), Table R406.3

D601.2, D601.2.1, D601.5.6

VESTIBULES

C202, C402.5.7, C402.5.7 Note, **C403.4.1.4**, C403.4.1.6, C503.1

