

INDEX

A

ABSORPTION COOLING EQUIPMENT	M1412
ACCESS (TO)	
Definition.....	R202
To appliances.....	M1305
To attic.....	R807
To crawl space.....	R408.4
To equipment.....	M1401.2
To floor furnace.....	M1408.4
To plumbing connections.....	P2704
To plumbing fixtures.....	P2705
To whirlpool pumps.....	P2720.1
ACCESS HATCHES	N1102.2.4
ACCESSIBILITY	R320
ACCESSIBLE	
Definition.....	E3501
Readily accessible, definition.....	E3501
ACCESSORY STRUCTURE	
Definition.....	R202
ADDRESS (SITE)	R319
ADDITIONS	
Defined.....	N1101.6
Requirements.....	N1107.1.1, N1108
ADMINISTRATIVE	Chapter 1
Applicability.....	R102
Authority.....	R104
Board of appeals.....	R112
Certificate of occupancy.....	R110
Construction documents.....	R106
Department of building safety.....	R103
Entry.....	R104.6
Fees.....	R106
General.....	R101
Inspections.....	R109
Permits.....	R105
Purpose.....	R101.3
Service utilities.....	R111
Stop work order.....	R114
Temporary structures and uses.....	R107
Violations.....	R113
ADULT FAMILY HOMES	R330
AIR	
Combustion.....	Chapter 17, G2407
Combustion air, definition.....	R202
Return.....	M1602
AIR BARRIER	
Installation.....	N1102.4.1.1, Table N1102.4.1.1
Testing.....	N1102.4.1.2

INDEX

AIR CONDITIONERS

- Branch circuitsE3702.11
- Room air conditionersE3702.12

AIR INFILTRATION

- RequirementsN1102.4.1.2

AIR LEAKAGE N1102.4, N1103.3.3, N1103.3.4

ALLOWABLE SPANS

- Of floor joists R502.3, R505.3.2
- Of headers R602.7, R603.6, R610.10
- Of rafters and ceiling joists R802.4, R802.5,
R804.3.1, R804.3.2

ALTERATIONS

- DefinedN1101.6
- RequirementsN1108, N1109

ALTERNATIVE MATERIALS

- (see **MATERIALS**) **R104.11**

AMPACITY **E3501**

ANCHOR BOLTS **R403.1.6**

APPEAL

- Board ofR112.1
- Right of R112

APPLIANCE

- Access to M1305
- Attic M1305.1.3
- Clearance for M1306
- Connectors, fuel-gas Chapter 24
- Definition R202
- Definition applied to electrical equipment E3501
- Electrical appliance disconnection means E4101.5
- Electrical appliance installation E4101
- Equipment (general) Chapter 14
- Floor furnace M1408
- Flue area R1003.14
- Fuel-burning Chapter 24
- Heating and cooling Chapter 14
- Installation M1307
- Labeling M1303
- Open-top broiler units M1505.1
- Outdoor G2454
- Ranges M1901
- Room heaters M1410
- Special fuel-burning equipment Chapter 19
- Vented (decorative) Chapter 24
- Wall furnace M1409
- Warm-air furnace M1402
- Water heaters Chapter 20, Chapter 24

APPLICATION

- PlywoodR703.3

APPROVAL

- Mechanical M1302

APPROVED

Agent (definition) R202
 Definition R202
 Definition applied to electrical equipment E3501
 Source (definition) R202

ARC-FAULT CIRCUIT INTERRUPTER E3902

AREA

Disposal, private sewage disposal P2602
 Flue (appliances) R1003.14
 Flue masonry R1003.15
 Room, minimum R304

ARMORED CABLE Table E3801.2

ASPHALT SHINGLES R905.2

ATTACHMENT PLUG (PLUG CAP) (CAP)

Definition E3501

ATTIC

Access R807
 Appliances M1305.1.2
 Habitable R326

AUTOMATIC N1101.6

AUTOMATIC FIRE SPRINKLER SYSTEMS R313

B

BACKFILL

For piping P2604

BACKFLOW, DRAINAGE

Definition R202

BACKWATER VALVE

Allowed types P3008.2
 Defined R202
 Required P3008.1

BASEMENT WALL

Definition R202, N1101.6
 Requirements Table N1102.1.2, N1102.2.9,
 N1103.2.1, Table N1105.5.2(1)

BATH, TOILET AND SHOWER SPACES R307

BATHROOM

Exhaust M1507.4
 Group R202, Table P3004.1

BATHTUB

Enclosure P2713.2
 Finish R307.2
 Hydromassage E4209
 Outlets for P2713.1
 Space required R307.1
 Whirlpool P2720

BATTERY SYSTEM, STATIONARY STORAGE R327

Definition R202

BEAM SUPPORTS.....R606.14

BEARING

 Of joistsR502.6

BIDETS..... P2721

BOILER

 Definition R202

 Outdoor temperature setback controlN1103.2

 Requirements Chapter 20

BONDING E3609, E4204

 Definition applied to electrical installations E3501

BONDING JUMPER..... E3501

 Bonding of service equipmentE3609.2

 Bonding to other systemsE3609.3

 Main bonding jumperE3607.5

 Metal water piping bonding E3608.1.1

 Sizing bonding jumpersE3609.5

BORED HOLES (see NOTCHING)

BOXES E3906

 Nonmetallic boxesE3905.3

 Support of boxesE3904.3

 Where requiredE3905.1

BRANCH CIRCUIT..... E3501, Chapter 37

 AmpacityE3701.2

 Ratings E3702

 Required E3703

BUILDING

 Definition R202, N1101.6

 Drain, definition R202

 Existing, definition R202

 Sewer, definition R202

BUILDING OFFICIAL

 Definition R202

 Inspection and tests of fuel-gas piping Chapter 24

BUILDING PLANNING

 Accessibility R320

 Automatic fire sprinkler systems R313

 Carbon monoxide alarms R315

 Ceiling height R305

 Design criteria R301

 Elevators and platform lifts R321

 Emergency escape R310

 Exterior wallR302.1

 Fire-resistant construction R302

 Flood-resistant construction R322

 Foam plastic R316

 Garages and carports R309

 Glazing R308

 Guardrails R312

 HandrailsR311.7.8, R311.8.3

 InsulationR302.10

Landing R311.3, R311.3.1, R311.3.2, R311.5.1

Light, ventilation and heating R303

Means of egress R311

Mezzanines R325

Minimum room area R304

Planning Chapter 3

Plumbing fixture clearances R307

Protection of wood against decay R317

Radon protection Appendix F

Ramps R311.8

Sanitation R306

Site address R319

Smoke alarms R314

Solar energy systems R324

Stairways R311.7

Stationary storage battery systems R327

Storm shelters R323

Swimming pools, spas and hot tub R326

Termite protection R318

Toilet, bath and shower spaces R307

BUILDING THERMAL ENVELOPE

Air tightness N1102.4.1

Compliance documentation N1101.5, N1101.14

Definition R202

Insulation N1101.10.1

Insulation and fenestration criteria N1102.1.2

Performance method Table N1105.5.2(1)

Requirements N1101.4

BUILDING-INTEGRATED PHOTOVOLTAIC ROOF PANEL

As roof covering R324.5.2

Definition R202

BUILT-UP GIRDERS (see GIRDERS)

BUILT-UP ROOFING (see ROOFING)

C

CABINETS AND PANELBOARDS E3907

CAPACITY

Expansion tank M2003.2

CARBON MONOXIDE ALARMS R315

Definition R202

CARPORTS R309.2

CATHODIC PROTECTION G2415.11.2

CEILING

Finishes R302.9, R805

Height R305

CEILING FANS E4203.4

CEILING S

For standard reference design Table N1105.5.2(1)

CENTRAL FURNACES (see FURNACES)

CERTIFICATEN1101.14

CERTIFICATE OF OCCUPANCY R110

CHASES**R606.8**

CHANGE OF OCCUPANCY

Definition R202

Energy use considerations N1111

CHIMNEYS

And fireplaces Chapter 10

Caps R1003.9.1

ClearanceR1003.18

CorbelingR1003.5

CricketsR1003.20

Design (masonry)R1003.1

Factory-built R1005

FireblockingR1003.19

Flue areaR1003.14, R1003.15

Flue liningR1003.11

LoadR1003.8

Masonry and factory-built, size M1805

Multiple flueR1003.14

Rain caps 1003.9.3

Spark arrestors R1003.9.2

TerminationR1003.9

Wall thicknessR1003.10

CIRCUIT BREAKER

Definition E3501

CIRCULATION SYSTEMS N1103.5.1

CLASS 2 CIRCUITS

Class 2 remote-control, signaling and power-limited circuits Chapter 43

CLAY

TilesR905.3

CLEANOUT

Definition R202

DrainageP3005.2

Masonry chimneyR1003.17

CLEARANCE

Above cooking top M1901.1

For appliances M1306.1

For chimneysR1003.18

Reduction methods M1306.2

Vent connectorM1803.3.4

CLEARANCES

Around electrical equipment E3405.1, E3604.1,
E3604.2, E3604.3

CLIMATE TYPES

Defined Table N1101.7.2(1)

CLIMATE ZONES **N1101.7, Figure N1101.7,**

Table N1101.7

By state of territory Figure N1101.7,

Table N1101.7

International climate zones N1101.7.2, Table N1101.7.2(1),
 Table N1101.7.2(2)

Tropical N1101.8

Warm humid N1101.7.1, Table N1101.7.1,
 Table N1101.7.1(1)

CLOTHES CLOSETS

Lighting fixtures E4003.12

CLOTHES DRYERS **M1502, Chapter 24**

CLOTHES WASHING MACHINES **P2718**

COLUMNS **R407**

COMBUSTIBLE

Materials R202

COMBUSTION AIR

Air Chapter 17, Chapter 24

Definition R202

COMMON VENT

Definition R202

Requirements M1801.11

COMPLIANCE REPORT N1105.4.2.2

COMPOSTING TOILET SYSTEM P2725.1

CONCRETE

Compressive Strength R402.2

Floors (on ground) R506

Tile (roof) R905.3

Weathering Figure R301.2(4), R402.2

CONCRETE-ENCASED ELECTRODE **E3608.1.2**

CONDITIONED FLOOR AREA R202

CONDITIONED SPACE R202

CONDUCTOR **E3406**

Ampacity E3705.1

Definition E3501

Identification E3407

Insulation E3406.5

Material E3406.2

Parallel E3406.6

Size E3406.3, E3704.1

Ungrounded E3603.1

CONDUIT BODY

Definition E3501

CONNECTION

Access to connections P2704

For fuel-burning appliances Chapter 24

For fuel-oil piping M2202

Joints P2904

Plumbing fixture P2601.2

To water supply P2902.1

CONNECTIONS

Aluminum E3406.8

Device E3406.11.2

CONNECTOR

Chimney and vent M1803

INDEX

Vent, definition R202

CONNECTOR, PRESSURE (SOLDERLESS)

Definition E3501

CONSTRUCTION

Cavity wall masonry R608

Flood-resistant R322

Floors Chapter 5

Footings R403

Foundation material R402

Foundation walls R404

Foundations Chapter 4

Masonry R606, R607, R608, R610

Roofs Chapter 8

Steel framing R505, R603, R804

Wood framing R502, R602, R802

Walls Chapter 6

CONSTRUCTION DOCUMENTS R106, N1101.5

Thermal envelope depiction N1101.5.1

CONTINUOUS AIR BARRIER R202

CONTINUOUS LOAD

Definition E3501

CONTINUOUS WASTE

Definition R202

CONTROL

Devices Chapter 24

CONTROLS

For forced-air furnaces Chapter 24

For heat pumps N1103.1.2

For heating and cooling N1103.1

For service water heating N1103.5

COOKING UNIT, COUNTER-MOUNTED

Definition E3501

COOLING

Absorption cooling equipment M1412

Access to equipment M1401.2

Evaporative cooling equipment M1413

Installation M1401.1

Loads for energy calculation N1101.9

Refrigeration cooling equipment M1404

Return air-supply source M1602

COPPER-CLAD ALUMINUM CONDUCTORS

Definition E3501

CORDS

Flexible E4101.3, E4202.2

CORROSION

Protection of metallic piping P2603.3

COURT

Definition R202

COVER REQUIREMENTS E3803.1

COVERING

Exterior R703

Interior R702
 Roof Chapter 9
 Wall Chapter 7
CRAWL SPACE R408
 Energy conservation requirements Table N1101.1.2, N1101.1.4,
 Table N1101.1.4, N1101.11.1,
 N1102.2.11, Table N1105.5.2(1)
 Wall (definition) R202
CROSS CONNECTION
 Definition R202
 CSST G2411.2, G2411.3, G2414.5.4, G2415.2

D

DAMPER, VOLUME
 Definition R202
DAMPROOFING R406
DECAY
 Protection against R317
DECK
 Supported by exterior wall R507
 Wood/plastic composite boards R507.2.2
DECORATIVE APPLIANCES
 Outdoor G2454
 Vented Chapter 24
DEFAULT DISTRIBUTION SYSTEM EFFICIENCIES Table N1105.5.2(2)
DEFINITIONS
 Building R202
 Electrical E3501
 Mechanical system R202
 Plumbing R202
DEGREE DAY COOLING Table N1101.7.2(2)
DEGREE DAY HEATING Table N1101.7.2(2)
DEMAND RECIRCULATION WATER SYSTEM
 Defined N1101.6
 Requirements N1103.5.1.1
DESIGN CONDITIONS, INTERIOR N1101.9
DESIGN CRITERIA R301
 Alternative provisions R301.1.1
 Application R301.1
 Climatic and geographic R301.2
 Dead load R301.4
 Deflection R301.6
 Engineered design R301.1.3
 Live load R301.5
 Nominal sizes R301.8
 Roof load R301.6
 Seismic R301.2.2
 Snow loads R301.2.3
 Story height R301.3
 Sunrooms R301.2.1.1.1

INDEX

Wind. R301.2.1

DIRECTIONAL

Fittings, plumbing. P2707

DISCONNECTING MEANS

Definition E3501

DISHWASHING MACHINES P2717

DOORS

Attics N1102.2.4

Crawl space N1102.2.4

Default *U*-factor Table N1101.10.3(2)

Egress R311.2

Exterior R311.3, R609

Opaque N1102.3.4

Performance requirements Table N1105.5.2.(1)

SHGC values Table N1102.1.2

U-factors Table N1102.1.4

DRAFT HOOD

Definition R202

DRAFTSTOPPING R302.12, R502.12

DRAIN

Floor. P2719

Shower receptors. P2709

DRAINAGE

Cleanouts. P3005.2

Foundation. R405

Inspection and tests. P2503

Storm drainage Chapter 33

DRILLING AND NOTCHING (see NOTCHING)

DRINKING WATER TREATMENT P2909

DRIP LOOPS E3605.9.5

DRYERS

Domestic clothes M1502

DUCTS Chapter 16

Defined R202

Dwelling-garage wall and ceiling penetration R302.5.2

Installation M1601.4

Insulation M1601.3, N1101.5, N1101.14,
N1103.3.1, N1103.3.6,
N1103.3.6.1, N1103.3.7

Material M1601

Sealing. M1601.4.1, N1101.5, N1103.3.2

System, definition R202

Tightness verification. N1103.3.3

Within unconditioned space. N1103.3.1

DWELLING

Definition R202, E3501

DWELLING UNIT

Definition R202, E3501

Multiple units N1103.8

Separation R302.2, R302.3

DYNAMIC GLAZINGN1102.3.2

E

EAVE BAFFLE

InstallationN1102.2.3

EJECTORS (see SUMPS AND EJECTORS)

ELECTRICAL

Appliance (labeling) M1303

Inspection E3403

Vehicle charging E3702.13

ELECTRICAL METALLIC TUBING **Table E3904.6**

ELECTRICAL NONMETALLIC TUBING **Table E3904.6**

ELECTRICAL POWER AND LIGHTINGN1104

ELECTRICAL RESISTANCE HEATERS

Baseboard convectors M1405

Duct heaters M1407

Radiant heating M1406

ELECTRODES

Grounding E3608

ELEVATORS AND PLATFORM LIFTSR321

EMERGENCY ESCAPE AND RESCUE OPENINGS **R310**

Area wellsR310.3.2

At additions R310.5

At existing basements R310.6

Bars, grilles, covers and screens R310.4

DefinitionR202

Dimensions R310.2

Doors R310.3

Replacement window sill heightR310.2.5

Under decks and porchesR310.2.4

Where required R310.1

ENCLOSURE

Definition E3501

ENERGY ANALYSIS, ANNUAL

Defined R202

Documentation N1105.4

Requirements N1105.3

ENERGY CONSERVATION**Chapter 11**

ENERGY COST

Defined R202

Energy rating index R202, N1106.3

Energy rating index compliance alternative N1106

ERI-based compliance N1106.4

ENERGY PERFORMANCE ANALYSIS**N1105**

ENERGY RECOVERY VENTILATION SYSTEMS

Requirements Table N1105.5.2(1)

ENERGY SIMULATION TOOL

Defined N1101.6

ENERGY STORAGE SYSTEMS R329

ENVELOPE, BUILDING THERMAL

 Defined R202

ENVELOPE DESIGN PROCEDURES N1102

ENTRY R104.6

EQUIPMENT

 Definition applied to electrical equipment E3501

 Efficiencies N1101.5, N1101.14

 General, mechanical Chapter 14

 Heating and cooling Chapter 14

 Room for fuel-burning appliances N1102.4.4

EXCAVATIONS

 For appliance installation M1305.1.4.2

EXHAUST

 Domestic cooking M1503

 General Chapter 15

EXISTING BUILDINGS N1107

EXISTING PLUMBING SYSTEMS P2502

EXTERIOR

 Covering R703

 Insulation finish systems R703.9

 Lath R703.7.1

 Plaster R703.7

EXTERIOR WALL

 Construction R302.1

 Defined R202

 Fire-resistance rating R302.1

 Thermal performance N1102, N1102.1.2, Table N1105.5.2(1)

F

FACEPLATES E4001.11, E4002.4

FACTORY BUILT

 Chimneys R1005, M1805

 Fireplace stoves R1005.3

 Fireplaces R1004

FAMILY HOME CHILD CARE R331

FASTENING Table R602.3(1)

FAUCETS P2701

 Handle orientation P2722.2

 Requirements P2701

FEEDER

 Ampacity E3704.5

 Conductor size E3704.1

 Feeder neutral load E3704.3

 Loads E3704.2

 Requirements E3704

FEES, PERMIT R108

FENESTRATION N1101.10.3, N1102.3, N1102.3.2, N1102.4.3

Default *U*-factors Table N1101.10.3(1)

Defined R202

Rating and labeling N1101.10.3, N1102.1.2

Replacement N1102.3.5

Requirements Table N1102.1.2

FENESTRATION, SITE-BUILT

Defined R202

FINISHES

Flame spread and smoke density R302.9

For ceilings R805

Interior R302.9, R315, R702

FIRE SPRINKLER SYSTEM R313, P2904

Inspections of P2904.8

Sizing of P2904.6

Sprinkler location P2904.1.1

FIREBLOCKING

Barrier between stories R302.11, R602.8

Chimney R1003.19

Fireplace R1001.12

FIREPLACES **Chapter 10**

Clearance R1001.11

Corbeling R1001.8

Doors for N1102.4.2

Factory-built R1004

Fireblocking R1001.12

Walls R1001.5

FIRE-RESISTANT CONSTRUCTION **R302**

Draftstopping R302.1

Dwelling-garage fire separation R302.6

Dwelling-garage opening and penetration R302.5

Exterior walls R302.1

Fireblocking R302.11

Floors R302.13

Foam plastics R302.8

Insulation R302.10, R302.14

Penetrations R302.4

Townhouse separation R302.2

Two-family dwellings R302.3

Under-stair protection R302.7

Wall and ceiling finishes R302.9

FIRE-SEPARATION DISTANCE

Definition R202

Exterior walls and wall projections R302.1

Ground-mounted photovoltaic systems R324.7

FITTING

Definition applied to electrical installations E3501

FITTINGS

DWV piping P3002.3

Prohibited joints P3003.2

Water supply P2906.6

INDEX

FIXTURE UNIT

- Drainage, definition R202
- Water supply, definition R202

FIXTURES

- Clearance R307.1
- Plumbing fixture, definition R202
- Plumbing fixture, general Chapter 27
- Trap seals P3201.2

FLAME SPREAD INDEX R302.9, R302.10

FLASHING R703.8.5, R703.4, R903.2, R905

FLEXIBLE CORDS E3909, E4101.3, E4202.2

FLEXIBLE METAL CONDUIT E3801.1, E3908.8.1

FLOATING HOMES R332

FLOOD-RESISTANT CONSTRUCTION

- General and structural R301.2.4, R322
- Plumbing systems P2601.3

FLOOR AREA R202

FLOOR DRAIN P2719

FLOOR FURNACE M1408

FLOORS

- Above-grade Table N1105.5.2(1)
- Bathtub and shower R307.2
- Concrete (on ground) R506
- Insulation for steel framed N1102.2.6
- Loads R301, R501.2
- Slab-on-grade insulation requirements N1102.210
- Steel framing R505
- Treated-wood (on ground) R504
- Wood framing R502

FLUE

- Area R1003.14, R1003.15
- Lining R1003.11, R1003.12
- Multiple R1003.13

FOAM PLASTICS R316

FOOD-WASTE DISPOSERS

- Discharge connection to sink tailpiece P2707.1
- General P2716

FOOTINGS R403

- Excavation for piping near P2604.4
- Requirements R403

FORCED MAIN SEWER

- Materials P3002.2
- Testing P2503.4

FOUNDATIONS Chapter 4

- Cripple walls R602.9, R602.10.9, R602.11.2
- Frost protection R403.1.4.1
- Inspection R109.1.1
- Insulation requirements Table N1102.4.1.1,
Table N1105.5.2(1)
- Walls R404

FRAME
 Inspection R109.1.4

FREEZE PROTECTION OF PLUMBING P2603.6

FUEL GAS. Chapter 24

FUEL OIL
 Oil tanks M2201
 Piping, fittings and connections M2202
 Pumps and valves M2204

FUEL-BURNING APPLIANCES
 (see **APPLIANCE, definition**)
 Identification Chapter 24

FURNACES
 Clearance of warm-air furnaces M1402.2
 Efficiency Table N11005.5.2(1)
 Exterior M1401.4
 Floor (see **Floor Furnace**)
 Wall (see **Wall Furnace**)
 Warm-air M1402, Chapter 24

FUSES. E3705.6

G

GARAGES AND CARPORTS. R309

GAS
 Appliance labeling Chapter 24

GAS PIPING SYSTEM NOT TO BE USED AS
GROUNDING ELECTRODE Chapter 24

GIRDERS. R502.5

GLAZED FENESTRATION N1102.3.2, N1102.3.3

GLAZING
 Aggregate area R303.1
 Greenhouses, glass in R308.6.6
 Protection of openings R301.2.1.2
 Required glazed openings R303.9
 Safety glazing and hazardous locations R308
 Site-built R308.5
 Skylights and sloped R202, R308.6

GRADE
 Definition R202
 Of lumber R502.1.1, R602.1.1, R802.1.1
 Plane, definition R202
 Slope of piping, definition R202

GRAYWATER
 For subsurface irrigation P3009
 Identification for P2901.2
 Supply to fixtures P2901.1

GROUND
 Definition of electrical E3501
 Floors (on ground) R504, R506
 Joint connection P2906.8

GROUNDING
 Definition E3501

INDEX

GROUNDING, EFFECTIVELY

Definition E3501

GROUNDING CONDUCTOR

Definition E3501

Identification E3407

GROUND-FAULT CIRCUIT-INTERRUPTER PROTECTION **E3902, E4203,**
E4206, E4207.2, E4208

GROUNDING

Effective grounding path E3611.3

Of equipment E3908, E4205.1

GROUNDING CONDUCTOR

Definition E3501

Equipment E3501, E3607.3.1, E3908

GROUNDING ELECTRODE CONDUCTOR **E3607.4**

Connection E3607.2, E3611

Definition E3501

Size E3603.4

GROUNDING ELECTRODE SYSTEM **E3608**

GROUNDING ELECTRODES **E3608, E3608.1**

Resistance of E3608

GROUND-SOURCE HEAT PUMP M2105

GUARDED

Definition applied to electrical equipment E3501

GUARDING OF ENERGIZED PARTS **E3404.9**

GUARDS **R312**

Definition R202

GYPSUM

Wallboard R702.3

H

HABITABLE SPACE

Definition R202

HALLWAYS **R311.6**

HANDRAILS **R311.7.8, R311.8.3**

Definition R202

HAND SHOWER (see SHOWER)

HEADERS

SIP R610.8

Steel R603.6

Wood R602.7

HEARTH **R1001.9**

Extension R1001.9, R1001.10

HEATED SLAB

Defined R202

HEATERS

Baseboard M1405

Central furnaces M1402

Duct M1407

Heat pumps M1403, N1103.1.2

Masonry R1002

PoolM2006, Chapter 24

Radiant M1406

Sauna Chapter 24

UnventedG2445

Vented roomM1410, Chapter 24

Water Chapter 20, Chapter 28

HEATING

Load for calculation of energy N1101.9

Required R303.10

HEATING EQUIPMENTChapter 14

HEIGHT

CeilingR305

HIGH-EFFICACY LAMPS

DefinedR202

HISTORIC BUILDING

DefinitionR202

Energy conservation requirements N1107.6

HOLLOW-UNIT MASONRY
(see MASONRY)R606.3.2.2, 606.13.1.2

HORIZONTAL

Pipe, definitionR202

Vent length M1803.3.2

HOT TUBS. R326, E4201, Appendix G

HOT WATER

DefinitionR202

Distribution pipe rating P2906.5

Distribution systems P2905

Energy conservation measures N1103.5

HeatersM2005, Chapter 24

Piping insulationN1103.5.3

Supplied to bathtubsP2713

Temperature actuated valves forP2724

HUB DRAIN (See WASTE RECEPTOR)

HVAC SYSTEM

Leakage testsN1103.3.4

HYDROGEN GENERATING AND REFUELING. M1307.4

HYDRONIC HEATING SYSTEMS

Baseboard convectors M2102

Boilers M2001

Expansion tanks M2003

Floor heating systems M2103

Operating and safety controls M2002

Piping systems installation M2101

I

IDENTIFICATION

Materials, systems and equipment for energy compliance N1101.10

IDENTIFIED

Definition applied to electrical equipmentE3501

INDIRECTLY CONDITIONED SPACE
(see CONDITIONED SPACE)

INDEX

INDIVIDUAL

- Branch circuit, definition E3501
- Sewage disposal systems R202, P2602
- Water supply and sewage disposal systems P2602

INFILTRATION

- Air leakage N102.4, Table N1105.5.2(1)
- Defined R202

INLET

- To masonry chimneys R1003.16

INSPECTION

- Excavation for piping P2604.1
- Fuel-supply system Chapter 24
- Of plumbing system P2503
- On-site R109.1

INSTALLATION

- Of appliances M1307
- Of cooling and heating equipment M1401.1
- Of ducts M1601.4
- Of flue liners R1003.12
- Of plumbing fixtures P2705
- Of wall furnaces M1409.3

INSULATING SHEATHING

- Defined R202
- Requirements N1102.1.2, Table N1102.1.2

INSULATION

- Above-deck R906
- Air-impermeable R202, Table N1102.1.1
- Basement wall N1102.2.9
- Ceilings with attic spaces N1102.2.1
- Ceilings without attic spaces N1102.2.2
- Crawl space walls N1102.2.10
- Duct N1103.3.1
- Eave baffle for N1102.2.3
- Flame spread R302.10
- Floors N1102.2.6, N1102.2.8
- Foam plastic R316
- Hot water piping N1103.5.3
- Identification of N1101.10, N1101.10.2
- Installation of N1101.10.1, N1101.10.2, N1101.11, Table N1102.4.1.1
- Masonry veneer support N1102.2.12
- Mass wall as N1102.2.5
- Mechanical system piping N1103.4
- Product rating of N1101.10.4
- Protection of exposed foundation N1101.11.1
- Protection of insulation on piping N1103.4.1
- Requirements N1102.1.3, N1102.2
- Slab-on-grade floors N1102.2.10
- Steel-framed ceiling walls and floors N1102.2.6, Table N1102.2.6
- Sunroom N1102.2.13

INTERIOR

- Lath R702.2.3
- Other finishes R702.5
- Plaster R702.2
- Wall covering Chapter 7

INTERMEDIATE METAL CONDUIT E3801, E3904

INTERRUPTING RATING E3404.2

- Definition E3501

IRRIGATION (see SUBSURFACE IRRIGATION)

J

JOINTS, PIPE

- And connections P2906, P3003
- Slip P2704.1

JOIST

- Bearing R502.6, R606.6.3.1

JUMPERS

- Bonding E3609

JUNCTION BOXES E3905, E4206.9.1

K

KITCHEN

- Definition R202

KITCHEN RECEPTACLES E3703.2, E3901

L

L VENT TERMINATION M1804.2.4

LABELED

- Definition R202
- Definition applied to electrical equipment E3501

LABELING

- Appliances M1303
- Definition R202
- Fenestration product N1101.10.3, N1102.4.3

LAMPHOLDERS E4003, E4004

LANDINGS R311.3, R311.3.1, R311.3.2, R311.7.6, R311.8.2

LATERAL SUPPORT R502.7, R606.6.4, R607.5.2

LATH

- Exterior R703.7.1
- Interior R702.2.3

LAUNDRY CIRCUIT E3703.3

LAUNDRY TUBS

- Drain connection to standpipe P2706.1.2.1
- Requirements P2715

LAVATORIES P2711

- Clearances R307
- Waste outlets P2711.3

INDEX

LEAD

Allowable amount, potable water components P2906.2
Bends and traps P3002.4.2
Caulked joints P3003.4.1
Flashing P3002.4.1

LIABILITY R104.8

LIGHT, VENTILATION AND HEATING R303

LIGHTING

Adjoining rooms R303.2
Bathrooms R303.3
Exterior stairs R303.8
Habitable rooms R303.1
Interior stairs R303.7
Luminaire in clothes closets E4003.12
Luminaire installation E4004
Luminaries E4003, E4004, E4206
Recessed N1104.1, N1102.4.5
Required glazed openings R303.9
Systems N1104

LIGHTING OUTLETS

Definition E3501
Required lighting outlets E3903

LINING

Flue R1003.11, R1003.12

**LINTEL R606.10, R608.8,
R703.8.3, R1001.7**

LIQUID-TIGHT FLEXIBLE CONDUIT E3801.4, E3908.8.2

LISTED

Definition applied to electrical equipment E3501

LISTED AND LISTING

Definition applied to building and mechanical provisions R202
Mechanical appliances M1302.1
Potable water components P2609

LOAD

Additional R1003.8
Dead load R301.4
Definition, dead and live R202
Live load R301.5
Roof R301.6
Seismic risk map Figure R301.2(2)
Snow load map Figure R301.2(5)
Wind speed map Figure R301.2(5)A

LOADS

Branch circuit loads E3702, E3703.6
Feeder load E3704.2
Feeder neutral load E3704.3
Horizontal load AE602.1
Service load E3602.2

LOCATION

Of furnaces M1408.3, M1409.2

LOCATION (DAMP) (DRY) (WET)

Definitions E3501

LOG HOMES N1102.1, Table N1102.4.1.1

LUMBER

Grade R502.1.1, R602.1.1, R802.1.1

LUMINAIRE **E4004**

Clearances E4004.8

M

MACERATING TOILET **P2723**

MAKEUP AIR **M1503.4**

MANUFACTURED HOME

Definition R202

Provisions Appendix E

MASONRY

Anchorage R606.11

Cavity wall R606.13

Chases R606.8

General R606

Hollow unit R202, R606.3.2.2, R606.13.1.2

Inspection R109.1.4

Seismic requirements R606.12

Solid, definition R202

Veneer R703.8

Veneer attachment R703.3

MASS WALLS Table N1102.1.2, N1102.2.5

MATERIALS

Alternative R104.11

Combustible R202, R1001.11, R1001.12,
R1003.18, R1003.19

For ducts M1601

For fixture accessories P2702

For flue liners R1003.11

For fuel-supply systems Chapter 24

For hearth extension R1001.9

For siding R703.5

Hydronic pipe M2101, M2103, M2104

Plumbing pipe P2906, P3002

MEANS OF EGRESS R311

Attachment of landings, decks, balconies and stairs R311.5

Door R311.2

Floors and landings at exterior doors R311.3

Hallways R311.6

Ramps R311.8

Stairways R311.7

Vertical egress R311.4

MECHANICAL

Inspection R109.1.2

System requirements Chapter 13, N1103

INDEX

MEDIUM PRESSURE FUEL-GAS PIPING SYSTEM Chapter 24

MEMBRANE

Penetration R302.4.2

Polyethylene R504.2.2, R506.2.3

Waterproofing R406.2

Water-resistive R703.2

METAL

Ducts Chapter 16

Roof panels R905.10

Roof shingles R905.4

METAL-CLAD CABLE Table E3701.2

METHODS

Water distribution pipe sizing Appendix P

MEZZANINES R325

MODIFICATIONS R104.10

MOISTURE CONTROL R702.7

MORTAR

Joints R606.3.1

MOTORS

Motor branch circuits E3702.6, E3702.7

MULTIPLE

Appliance venting systems M1801.11

Flues R1003.13

MULTIWIRE BRANCH CIRCUITS E3701.5

N

NONCOMBUSTIBLE MATERIAL

Definition R202

NONMETALLIC BOXES E3905.3, E3908.16

NONMETALLIC RIGID CONDUIT E3801.4

NONMETALLIC-SHEATHED CABLE E3705.4.4, E3801.4,
E3905.3.1, E3908.8.3

NONPOTABLE WATER SYSTEMS P2910, P2911,
P2912, P2913

NOTCHING

Electrical E3402.1

For mechanical systems M1308

For plumbing piping P2603.2

Steel joists R505.2.5, R505.3.5,
R804.2.5, R804.3.3

Steel studs R603.2.6, R603.3.4

Wood joists R502.8, R802.7.1

Wood studs R602.6

Wood top plates R602.6.1

O

OCCUPIED SPACE

Definition R202

OIL

Piping and connections M2202

Supply pumps and valves M2204
 Tanks M2201
OPENING
 Protection R302.5
 Requirements, combustion air Chapter 17, Chapter 24
 Waterproofing of piping penetrations P2606.1
OPEN-TOP GAS BROILER UNITS M1505.1
OUTLET
 Definition Chapter 24, E3501
OVEN, WALL-MOUNTED
 Definition applied to electrical provisions E3501
OVERCURRENT
 Definition E3501
OVERCURRENT PROTECTION. E3705
OVERCURRENT-PROTECTION RATING E3705
OVERLOAD
 Definition E3501

P

PANELBOARD E3706
 Clearance and dedicated space E3405.2, E3405.3
 Definition E3501
 Headroom E3405.3
PARAPETS R302.2.2, R606.4.4
PARTICLEBOARD
 Floor R503.3
 Walls R605
PENETRATIONS. R302.4, R302.5
PERMITS R105
PHOTOVOLTAIC PANEL SYSTEMS. R907
PIERS R606.7
 Masonry R404.1.9
PIPE
 Fittings P2906.6, P3002.3
 Materials listing Table M2101.1, P2609
 Protection P2603
 Standards, drain, waste and vent Table P3002.1(1),
 Table P3002.1(2)
 Standards, sewer Table P3002.2
 Standards, water supply P2906
PIPING
 Connections and materials Table M2101.1, P2906
 Drain, waste and vent P3002.1
 Excavations next to footings P2604.4
 Fuel-gas size determination Chapter 24
 Penetrations P2606
 Protection P2603
 Sizing methods, water distribution P2903.7
 Support M2101.9, Chapter 24, P2605

INDEX

PITS

Appliance location M1305.1.3.2

PLANNING

Building Chapter 3

PLANS **R106**

PLASTER

Exterior R703.7

Interior R702.2

PLATFORM LIFTS AND ELEVATORS R321

PLENUM

Definition R202

Definition, electrical installations E3501

PLUMBING

Fixture clearances R307

Fixtures Chapter 27

Inspection R109.1.2

Materials P2702.2, P2905, P3002

Requirements and definitions R202

System, definition R202

Third-party certification P2609.4

Traps Chapter 32

Vents Chapter 31

PLYWOOD

Application R703.5

Materials, walls R604

POTABLE WATER

Definition R202

Piping listing P2609.4

PRECAST CONCRETE

Footings R403.4

Foundation material R402.3.1

Foundation walls R404.5

PRESSURE, WATER SUPPLY

Maximum P2903.3.1

Minimum P2903.3

PRIVATE

Sewage disposal system Appendix I

PROHIBITED

Receptors P2706

Return air sources M1602.2

Traps P3201.5

Valves below grade P2903.9.5

Water closets P2712.1

PROPOSED DESIGN (ENERGY) R202, N1105.3

PROTECTION

Against decay and termites R317, R318

Against radon Appendix F

Of backflow preventers P2902.6

Of ferrous gas piping Chapter 24

Of potable water supply P2902

PURLINS **R802.4.5**
PURPOSE **R101.3**

R

RACEWAY

Definition E3501
 Raceway installations E3904
 Raceway seals E3601.5, E3803.6
 Raceways as means of support E3904.4

RADON

Map Appendix F

RAFTERS

Grade of lumber R802.1
 Spans R802.1.1,
 Tables R802.4.1(1) – R802.4.1(8)

RAIN TIGHT

Definition applied to electrical provisions E3501

RAINPROOF

Definition applied to electrical provisions E3501

RAINWATER

Identification for P2901.2
 Supply to fixtures P2901.1

RAMPS **R311.8**

RANGES

Branch circuits for ranges E3702.9

RANGES AND OVENS

Vertical clearance above cooking top M1901.1

READILY ACCESSIBLE

Definition R202
 Definition, electrical installations E3501

RECEPTACLE

Definition E3501

RECEPTACLE OUTLET

Definition E3501
 Required outlets E3901

RECEPTACLES

Rating, type and installation E4002

RECEPTORS

Plumbing fixtures and traps Chapter 27
 Site-built shower P2709.2
 Waste P2706

RECESSED LUMINAIRES **E4003.5, E4003.12,**
 E4004.8, E4004.9

RECLAIMED WATER

Identification for P2901.2
 Supply to fixtures P2901.1

REPAIR

Defined R202
 Requirements, energy conservation N1110

INDEX

REQUIREMENTS

Connections for fuel-burning appliances Chapter 24
Return air M1602

RESISTANCE TO GROUND

Electrodes E3608.4

RESISTANT SIDING MATERIAL (see MATERIALS)

RETURN-AIR M1602

RIDGE BOARD. R802.4

RIGID METALLIC CONDUIT E3908

RIGID NONMETALLIC CONDUIT E3801.4

ROOF

Coverings R905
Drainage R903.4
Fire classification R902
Flashing R703.4, R903.2, R905
Materials R904
Reroofing R908
Rooftop-mounted solar energy systems R324.3, R324.6
Steel framing R804
Wood framing R802

ROOF ASSEMBLY

Defined R202
Insulation installation N1101.10.1.1

ROOF-CEILING CONSTRUCTION

(see **CONSTRUCTION**) **Chapter 8**
Wind uplift R802.11, R804.3.8

ROOFING

Built-up R905.9
Liquid-applied coating R905.15
Modified bitumen R905.11
Sprayed polyurethane foam R905.14
Thermoplastic single-ply R905.13
Thermoset single-ply R905.12

ROOM

Area, height and dimensions R304, R305
Heaters, vented M1410, Chapter 24
Minimum Sizes R304

R-VALUE

Definition R202
Computation N1102.1.3

S

SANITATION R306

SECURITY FROM CRIMINAL ACTIVITY R333

**SEISMIC RISK MAP. Figure R301.2(2),
Figure R301.2(3)**

SEPTIC TANK

Definition R202

SERVICE

Definition E3501

SERVICE CABLE
 Definition E3501

SERVICE CONDUCTORS
 Definition E3501
 Drip loops E3605.9.5
 Insulation E3605.1
 Overload protection E3603.3
 Rating of ungrounded service conductors E3602.1
 Size E3603.1

SERVICE DISCONNECT
 Location E3601.6.2
 Marking of E3601.6.1
 Maximum number of E3601.7
 Rating of E3602.3
 Required E3601.6

SERVICE DROP
 Clearances E3604.1, E3604.2
 Definition E3501
 Point of attachment E3604.3

SERVICE EQUIPMENT
 Definition E3501

SERVICE LATERAL
 Definition E3501

SERVICE LOAD **E3602.2**

SERVICE POINT
 Definition E3501

SERVICE UTILITIES R111

SERVICE VOLTAGE RATING **E3602.4**

SERVICE-ENTRANCE CONDUCTORS, OVERHEAD SYSTEM
 Definition E3501

SERVICE-ENTRANCE CONDUCTORS, UNDERGROUND SYSTEM
 Definition E3501

SERVICES **Chapter 36**

SEWAGE
 Disposal, private P2602

SEWER, BUILDING
 Definition R202
 Replacement by PVC fold and form method P3011
 Separation from water service P2604.2, P2906.4.1
 Size P3005.4.2
 Testing P2503.4

SHAKES
 Wood R702.6, R703.6, R905.8

SHINGLE
 Asphalt shingles R905.2
 Metal R905.4
 Slate R905.6
 Wood R905.7

SHOWER
 Compartment R307.2
 Control valve P2708.4

INDEX

Control valve riser to shower head P2708.3
Drain size P2708.2
Finishes R307.2
Hand P2708.5
Receptor P2709
Space required R307.1
Stall dimensions P2708
Walls P2710

SHUTOFF VALVE (see VALVES)

SIDING
Exterior coverings R703

SINKS P2714

SITE
Address R319
Preparation R408.5, R504.2, R506.2

SIZE
Of combustion air openings Chapter 17
Of rooms R304
Of trap P3201.7

SIZING METHODS
Water piping P2903.7

SKYLIGHTS R308.6

SLATE SHINGLES R905.6

SLEEPING LOFTS R327

SMOKE ALARMS R314

SMOKE-DEVELOPED INDEX R302.9, R302.10

SNOW LOAD MAP Figure R301.2(5)

SNOW MELT SYSTEMS N1103.9

SOILS
Collapsible (definition) R202
Compressible (definition) R202
Expansive (definition) R202

SOLAR ENERGY SYSTEMS R324, M2301
Building-integrated photovoltaic systems R324.5
Definition R202
Ground-mounted photovoltaic systems R324.7
Photovoltaic systems R324.3
Roof access and pathways R324.6
Rooftop-mounted photovoltaic systems R324.3
Solar thermal systems R202, Chapter 23

SOLAR HEAT GAIN COEFFICIENT (SHGC)
Default Table N1101.10.3(1)
Defined R202
Requirements N1101.10.3

SOLAR-READY PROVISIONS Appendix T

SOUND TRANSMISSION CONTROL R334

SPANS
Steel (allowable) R505.3.2, R804.3.2.1
Wood (allowable) R502.3, R802.5

SPAS R326, E4208

SPLICES E3406.11

SPLICES AND TAPS E3803.4

SPRINKLER (see FIRE SPRINKLER SYSTEMS)

STAIRWAYS R311.7

 Alternating tread devices R311.7.11

 Bulkhead enclosure R311.7.10.2

 Handrails R311.7.8

 Headroom R311.7.2

 Illumination R311.7.9

 Landings for R311.7.6

 Nosings R311.7.5.3

 Ship's ladders R311.7.12

 Spiral R311.7.10

 Treads and risers R311.7.5, R311.7.5.4

 Vertical rise R311.7.3

 Walking surface slope R311.7.7

 Walkline R311.7.4

 Width R311.7.1

 Winder treads R311.7.5.2.1

STANDARD REFERENCE DESIGN

 Defined R202

 Requirements N1105, Table N1105.5.2(1)

STANDARDS **Chapter 44, Appendix G**

STANDPIPE (see WASTE RECEPTOR)

STEEL

 Fireplace units R1001.5.1

 Floor construction R505

 Framing, insulation requirements N1102.2.6

 Roof-ceiling construction R804

 Walls R603

STOP WORK ORDER R114

STORM SHELTERS **R323**

STORY

 Definition R202

STOVES

 Factory-built fireplace M1414

STRUCTURAL AND PIPING PROTECTION **P2603**

STRUCTURAL INSULATED PANEL (SIP) **R610**

STUDS

 Spacing R602.3.1

 Steel R603.2, R603.3

 Wood R602.2, R602.3

SUBSURFACE IRRIGATION SYSTEMS **P3009**

SUMP PUMPS **P3007.3.2, P3303**

SUMPS AND EJECTORS **P3007**

SUNROOMS R301.2.1.1.1, R303.9.1

 Defined R202

 Fenestration N1102.3.5

 Insulation N1102.2.13

INDEX

SUPPLY

Combustion air Chapter 17, Chapter 24
Fuel systems Chapter 24
Oil supply pumps and valves M2204
Required gas Chapter 24
Return air M1602
Water Chapter 29

SUPPORT

Of decks R507.9.1.2
Of ducts M1601.4.4
Of floor joists R502.6, R505.3.2
Of masonry chimneys R1003.2, R1003.3, R1003.4
Of pipe M2101.9, Chapter 24, P2605

SUPPORT REQUIREMENTS FOR WIRING METHODS E3802.1

**SWIMMING POOLS, SPAS AND HOT TUBS R328, N1103.10,
Chapter 42, Appendix G**

SWITCHES

Definition E3501
Rating and application E4001

SYSTEMS

Mechanical venting Chapter 18, Chapter 24
Plumbing, drainage, waste and venting Chapter 25, Chapter 30,
Chapter 31, Chapter 33

T

TAIL PIECES, PLUMBING FIXTURE P2703

TANK

For fuel oil-burning appliances M2201
Septic, definition R202

TEMPERATURE ISOLINES Figure R301.2(1)

TEMPERATURE LIMITATIONS E3705.4

TEMPORARY STRUCTURES R107

TERMINALS E3406.10

TERMINATION

Of chimneys R1003.9
Of vents (general) M1804.2

TERMITES

Infestation probability map Figure R301.2(6)
Protection R318

TEST

For leaks in supply piping Chapter 24
Of backflow preventers P2503.8
Of building sewers P2503.4
Of plumbing systems P2503
Of shower liner P2503.6

THERMAL ISOLATION

Defined R202
Requirements N1102.2.13

THERMAL RESISTANCE (see R-VALUE)
THERMAL TRANSMITTANCE (see U-FACTOR)
THERMOSTAT
 Controls N1103.1
 Defined R202
 Programmable N1103.1.1
THICKNESS
 Of chimney walls R1003.10
TIES
 Veneer R703.8.4
TILE
 Shingles (clay and concrete) R905.3
TIME SWITCH, PUMPS FOR POOLS N1103.10.2
TOILET, BATH AND SHOWER SPACES R307
TOWNHOUSE
 Definition R202
 Parapet construction R302.2.5
 Scope R101.2
 Separation R302.2
TRACK LIGHTING E4005
TRAP Chapter 32
 Arm, definition R202
 Building P3201.4
 Seal protection P3201.2.1
TRENCHING AND BACKFILLING P2604
TRUSSES
 Steel R505.1.3, R804.3.6
 Wood R502.11, R802.10
TWO-FAMILY DWELLINGS R302.3
TYPE OF VENTING SYSTEMS REQUIRED Chapter 18, Chapter 24

U

U-FACTOR
 Definition R202
 Requirements Chapter 11
UNDER FLOOR
 Access to furnaces M1305.1.4
 Plenums M1601.5
 Space R408
UNDERGROUND INSTALLATION REQUIREMENTS
 Duct systems M1601.1.2
 Electrical cable E3803
 Wiring E4203.7
UNDER-STAIR PROTECTION R302.7
UNVENTED ATTIC ASSEMBLIES R806.5
UTILIZATION EQUIPMENT
 Definition E3401

V

VALVES

Backwater	P3008
Meter	Chapter 24
Oil-supply	M2204
Plumbing fixture	P2903.9.3
Relief, water heater	P2804
Shut off, water heaters	P2903.9.2
Shut off, water supply	P2903.9
Shutoff, fuel-gas	Chapter 24
Shutoff, fuel-oil	M2204.2

VAPOR RETARDERSR702.7

Definition	R202
----------------------	------

VENEER

Masonry	R703.7
-------------------	--------

VENT

B or BW vent	Chapter 24
Definition	Chapter 24
L vent	M1804.2.4, Chapter 24
Plumbing system, definition	R202
Termination	M1804.2, M2203.5, P3103.5

VENTED

Decorative appliances	Chapter 24
Floor furnaces	M1408
Room heaters	M1410
Wall furnaces	M1409

VENTILATION

Adjoining rooms	R303.2
Bathroom and kitchen	R303.3, M1505
For hydrogen systems	M1307.4
Habitable rooms	R303.1
Roof	R806
Under floor	R408.1
Whole house	M1505.4, N1103.6

VENTING (MECHANICAL)

Chimney and vent connectors	R1006, M1803, Chapter 24
Components	M1802, Chapter 24
Fireplace	R1006
General	M1801, Chapter 24
Required	M1801, M2203.4, Chapter 24
Systems	Chapter 18, Chapter 24

VENTING (PLUMBING)

Air admittance valves	P3114
Circuit	P3110
Combination waste and vent system	P3111
Common	P3107
Connections and grades	P3104
Fixture	P3105
Individual	P3106
Island fixture	P3112
Pipe sizing	P3113

Stacks and stack vents P3102
 Systems P3101
 Terminals P3103
 Waste stack P3109
 Wet P3108

VERTICAL
 Clearances above cooking top M1901.1
 Pipe, definition R202

VIOLATIONS
 And penalties R113

VISIBLE TRANSMITTANCE (VT)
 Default glazed fenestration N1101.10.3
 Defined R202

VOLTAGE
 Definition E3501

VOLTAGE RATING (SERVICES) **E3602.4**

VOLTAGE TO GROUND
 Definition E3501

VOLTAGES **E3404.1**

W

WALL FURNACE (see APPLIANCE)
 General M1409.1
 Installation M1409.3
 Location M1409.2

WALLBOARD
 Gypsum R702.3

WALLS
 Above-grade, defined R202
 Basement, defined R202
 Bathtub compartments R307.2, P2710
 Bracing, steel R603.9
 Bracing, wood R602.10
 Construction Chapter 6
 Covering Chapter 7
 Crawl space, defined R202
 Cripple R602.9
 Deflection R301.7
 Exterior, defined R202
 Exterior covering R703
 Finishes R307.2, R702
 Fireplace R1001.5
 Foundation R404
 Insulating concrete form R608.3, R608.4, R608.5.3
 Shower compartments P2710
 Steel framing R603
 Structural insulated panels (SIP) R610
 Thickness, masonry chimneys R1003.10
 Wood framing R602

INDEX

WARM-AIR FURNACES **M1402**
Access to M1401.2
Clearance from M1402.2

WASTE
Clear water P2706.1
Continuous, definition R202

WASTE RECEPTOR
Hub drain P2706.1.1
Prohibited types P2706.2
Standpipe P2706.1.2

WATER
Distribution system, definition R202
Heater, definition R202
Heaters Chapter 20, Chapter 24, Chapter 28
Individual supply and sewage disposal P2602
Piping sizing methods P2903
Pressure P2903.3
Service, separation from sewer P2604.2
Supply and distribution Chapter 29
Supply system, definition R202

WATER CLOSET
Carriers for wall hung P2702.4
Clearances for R307.1
Dual flushing P2712.1
Personal hygiene devices P2722.5
Seats P2712.7
Standards P2712.1

WATER HEATER
Drain water heater heat recovery units P2903.11
In garages P2801.7
Location P2801.3, P2801.4, P2801.5
Pan P2801.6
Plumbing requirements Chapter 28
Relief valves P2804
Seismic bracing P2801.7
Solar thermal P2802, P2902.5.5
Thermal expansion from P2903.4
Used for space heating P2803

WATER TIGHT
Definition applied to electrical provisions E3501

WATERPROOFING
And dampproofing R406
Of openings through roofs and walls P2607

WEATHERPROOF
Definition applied to electrical provisions E3501

WELLS (see INDIVIDUAL WATER SUPPLY)

WHIRLPOOL BATHTUBS **P2720**

WHOLE-HOUSE VENTILATION **M1505.4**

WIND
Design criteria R301.2

Speed mapsFigure R301.2(5)A,
Figure R301.2(5)B

WINDOWR609

EERO replacement sill height.....R310.2.5

Fall protection.....R312.2

Opening limiting devices.....R312.2.2

WIRING METHODS.....Chapter 37

WOOD

Floor construction.....R502

Foundation walls.....R404.2

Protection against decay.....R317

Roof-ceiling construction.....R802

Shakes.....R905.8

Shingles.....R905.7

Trusses.....R502.11, R802.10

Walls.....R602

WORKING SPACEE3606.2

Around electrical equipment.....E3405.1, E3405.2

WORKMANSHIP, PLUMBINGP2608

Y

YARD

Definition.....R202

