

SDCI STANDARD DRAINAGE NOTES

CONSTRUCTION STORMWATER CONTROL (CSC) GENERAL NOTES

1. A FIRST GROUND DISTURBANCE INSPECTION IS REQUIRED PRIOR TO START OF WORK ON ALL SITES WITH LAND DISTURBING ACTIVITY. SCHEDULE A FIRST GROUND DISTURBANCE INSPECTION FOR AN ISSUED BUILDING PERMIT AT 206-684-8900 OR ONLINE AS DESCRIBED AT <http://www.seattle.gov/sdci/inspections/site-development-inspections>
2. THE APPLICANT SHALL DESIGNATE AN EROSION AND SEDIMENT CONTROL (ESC) SUPERVISOR WHO SHALL BE RESPONSIBLE FOR THE INSTALLATION AND MAINTENANCE OF EROSION AND SEDIMENT CONTROL BEST MANAGEMENT PRACTICES (BMPS). FOR LARGE CONSTRUCTION PROJECTS, THE ESC SUPERVISOR SHOULD BE A CERTIFIED EROSION AND SEDIMENT CONTROL LEAD (CESCL). PROVIDE THE NAME AND PHONE NUMBER OF THE ESC SUPERVISOR TO THE SITE INSPECTOR AT THE FIRST GROUND DISTURBANCE INSPECTION.
3. BMPS SHALL BE INSTALLED PRIOR TO STARTING CONSTRUCTION TO ENSURE SEDIMENT-LADEN WATER DOES NOT LEAVE THE PROJECT SITE OR ENTER ROADSIDE DITCHES, STORM DRAINS, SURFACE WATERS, OR WETLANDS.
4. THE BMPS INCLUDED IN THIS PLAN ARE THE MINIMUM REQUIREMENTS FOR ANTICIPATED SITE CONDITIONS. THE APPLICANT IS RESPONSIBLE FOR ENSURING THAT BMPS ARE MODIFIED AS NEEDED FOR UNEXPECTED STORM EVENTS OR OTHER UNFORESEEN CIRCUMSTANCES, AND TO ACCOUNT FOR CHANGING SITE CONDITIONS.
5. ANY AREAS OF DISTURBED SOIL THAT WILL NOT BE WORKED FOR TWO CONSECUTIVE DAYS DURING THE WET SEASON (OCT 1 TO APRIL 30) OR SEVEN DAYS DURING THE DRY SEASON (MAY 1 TO SEPT 30) SHALL BE IMMEDIATELY STABILIZED WITH APPROVED BMPS METHODS (E.G. STRAW, MULCH, PLASTIC COVERING, COLD MIX, ETC.)
6. GRADING AND/OR SOIL DISTURBING ACTIVITIES MAY BE LIMITED OR PROHIBITED FOR CERTAIN SITES SUBJECT TO ECA STANDARDS (I.E. ECA STEEP SLOPES, LANDSLIDE PRONE AREAS, ETC.) BETWEEN OCTOBER 31ST AND APRIL 1ST. IF NOTED IN THE GEOTECHNICAL SPECIAL INSPECTIONS REQUIREMENTS, A GRADING SEASON EXTENSION LETTER (GSEL) ISSUED BY SDCI IS REQUIRED FOR ALL GRADING AND/OR SOIL DISTURBING ACTIVITIES DURING THIS PERIOD. THE GEOTECHNICAL SPECIAL INSPECTOR MUST SUBMIT ELECTRONIC APPLICATIONS FOR A GSEL USING THE SDCI PROJECT PORTAL. ALLOW FOUR TO SIX WEEKS FOR PROCESSING. FAILURE TO OBTAIN THE GSEL PRIOR TO OCTOBER 31 MAY RESULT IN A WORK STOPPAGE.
7. CITY STREETS AND SIDEWALKS SHALL BE KEPT CLEAN AT ALL TIMES. NO MATERIAL SHALL BE STORED ON CITY STREETS OR SIDEWALKS WITHOUT A STREET USE PERMIT FROM THE SEATTLE DEPARTMENT OF TRANSPORTATION (SDOT).
8. POLLUTION CONTROL MEASURES SHALL BE FOLLOWED TO ENSURE THAT NO LIQUID PRODUCTS OR CONTAMINATED WATER ENTERS ANY STORM DRAINAGE FACILITIES OR OTHERWISE LEAVES THE PROJECT SITE. ANY HAZARDOUS MATERIALS OR LIQUID PRODUCTS THAT HAVE THE POTENTIAL TO POLLUTE RUNOFF SHALL BE STORED AND DISPOSED OF PROPERLY.

Date: 05/24/2022

9. ENSURE THAT WASHOUT FROM CONCRETE TRUCKS IS PERFORMED OFF-SITE OR IN DESIGNATED CONCRETE WASHOUT AREAS ONLY. DO NOT WASH OUT CONCRETE TRUCKS ONTO THE GROUND, OR TO STORM DRAINS OR OPEN DITCHES. DO NOT DUMP EXCESS CONCRETE ON SITE, EXCEPT IN DESIGNATED CONCRETE WASHOUT AREAS.
10. ALL AREAS OF DISTURBED SOIL SHALL BE FULLY STABILIZED WITH THE APPROPRIATE SOIL AMENDMENT AND COVER MEASURES AT COMPLETION OF THE PROJECT. TYPICAL COVER MEASURES INCLUDE LANDSCAPING OR HYDROSEED WITH MULCH.

DEMOLITION PERMIT CSC/SOIL SPECIAL NOTES

1. A FIRST GROUND DISTURBANCE INSPECTION AND VERIFICATION OF RAT ABATEMENT IS REQUIRED PRIOR TO STARTING THE DEMOLITION WORK. SCHEDULE THE INSPECTION THROUGH THE SEATTLE SERVICES PORTAL OR CALL 206-684-8900.
2. FOR PROJECTS WITH AN ASSOCIATED CONSTRUCTION PERMIT APPLICATION:
 - a. INTERIM GROUND STABILIZATION WITH COVER PRACTICES MUST BE IMPLEMENTED AND THE CONSTRUCTION PERMIT MUST BE ISSUED BEFORE FINAL INSPECTION OF THIS DEMOLITION PERMIT, OR
 - b. ALL DISTURBED AREAS SHALL BE PERMANENTLY STABILIZED IN ACCORDANCE WITH THE POST CONSTRUCTION SOIL MANAGEMENT PLAN SHOWN AT THE BOTTOM LEFT OF THIS PLAN WITH APPROVED BMPS FOR PERMANENT COVER PRACTICES.
3. FOR PROJECT WITHOUT AN ASSOCIATED CONSTRUCTION PERMIT APPLICATION:
 - a. ALL DISTURBED AREAS SHALL BE PERMANENTLY STABILIZED IN ACCORDANCE WITH THE POST CONSTRUCTION SOIL MANAGEMENT PLAN SHOWN AT THE BOTTOM LEFT OF THIS PLAN WITH APPROVED BMPS FOR PERMANENT COVER PRACTICES.
4. IF THE EXISTING SIDE SEWER IS SHARED WITH ANOTHER PROPERTY, SERVICE TO THAT PROPERTY SHALL BE MAINTAINED AT ALL TIMES DURING AND AFTER THE DEMOLITION. A PERMANENT OR TEMPORARY CAP MUST BE PLACED ON THE END OF THE UNUSED LATERAL.
5. A SIDE SEWER PERMIT IS REQUIRED IF THE SIDE SEWER IS TO BE PERMANENTLY CAPPED. A PERMANENT CAP IS REQUIRED IF THERE IS NOT AN ACCEPTED BUILDING PERMIT APPLICATION THAT WILL RE-USE THE SIDE SEWER. ABANDONED SIDE SEWERS SHALL BE CAPPED AS CLOSE TO THE PROPERTY LINE AS POSSIBLE WITHOUT INTERRUPTING SERVICE TO ANY OTHER BUILDING.
6. STRUCTURAL STABILIZATION OF REMAINING BASEMENT WALLS IS THE RESPONSIBILITY OF THE PROPERTY OWNER AND SHALL BE IN ACCORDANCE WITH ALL APPLICABLE CODES.
7. TREE REMOVAL MAY REQUIRE ADDITIONAL PERMITS OR APPROVALS AND IS NOT NOT AUTHORIZED UNDER THIS DEMOLITION PERMIT UNLESS INDICATED TO BE REMOVED ON AN APPROVED SITE PLAN. SEE SDCI TIP #242.
8. SEE SDCI TIP 337, "DEMOLITION AND DECONSTRUCTION" FOR MORE INFORMATION ON DEMOLITION PERMIT REQUIREMENTS.

SIDE SEWER AND DRAINAGE PERMIT NOTES

1. SIDE SEWERS AND DRAINAGE FACILITIES SHALL BE CONSTRUCTED PER THE "REQUIREMENTS FOR DESIGN OF SIDE SEWERS (DRAINAGE & WASTEWATER)" DIRECTORS' RULE DPD 4-2011/2011-004 AND PER THE "2021 SEATTLE STORMWATER MANUAL" DIRECTORS' RULE SDCI 10-2021/SPU DWW-200.
2. A SEPARATE DRAINAGE AND SIDE SEWER PERMIT IS REQUIRED FOR ALL ONSITE DRAINAGE ELEMENTS AND SIDE SEWERS/SERVICE DRAINS. APPROVAL OF THIS PLAN IS REQUIRED PRIOR TO OBTAINING A DRAINAGE AND SIDE SEWER PERMIT.
3. RE-USE OF EXISTING SIDE SEWERS WHEN THERE WILL BE AN INCREASE IN LIVING UNITS REQUIRES THE EVALUATION AND CERTIFICATION (PE EVAL/CERT) OF THE EXISTING SIDE SEWER BY A PROFESSIONAL ENGINEER PRIOR TO FINALIZING THE SIDE SEWER AND DRAINAGE PERMIT. IN MOST CASES, THE SIDE SEWER MUST BE LINED ALL THE WAY TO THE MAIN. SEE DIRECTORS RULE 4-2011V.M AND SMC 21.16.240.
4. IN ORDER TO ADD UNITS TO AN EXISTING SIDE SEWER, A CERTIFIED LETTER STATING THE INTENT TO ADD UNITS TO THE SHARED SIDE SEWER MUST BE SENT TO ALL PROPERTY OWNERS OF PARCELS SERVED BY THE SHARED SIDE SEWER AT LEAST 30 DAYS PRIOR TO APPLYING FOR THE SIDE SEWER PERMIT. SMC 21.16.240.C. A RECEIPT OF CERTIFIED MAILING AND THE CERTIFICATION/ATTESTATION OF MAILING NOTIFICATION MUST BE SUBMITTED TO SDCI PRIOR TO PERMIT ISSUANCE.
5. DEVIATIONS FROM THE APPROVED DRAINAGE AND WASTEWATER CONTROL PLAN REQUIRE A FORMAL POST-SUBMITTAL REVISION FOR PLAN REVIEW AND APPROVAL. POST-SUBMITTAL REVISIONS MUST BE SUBMITTED ELECTRONICALLY THROUGH THE SDCI PROJECT PORTAL.

ON-SITE STORMWATER MANAGEMENT PLANTINGS NOTES

PLANTING GENERAL NOTES

1. PLANTS SHALL BE SITED ACCORDING TO SUN, SOIL, WIND AND MOISTURE REQUIREMENTS.
2. AT A MINIMUM, PROVISIONS MUST BE MADE FOR SUPPLEMENTAL IRRIGATION DURING THE FIRST TWO GROWING SEASONS.

BIORETENTION CELLS, PLANTERS AND RAIN GARDEN NOTES

1. FOR A LIST OF APPROVED PLANTS FOR BIORETENTION/RAIN GARDEN FACILITIES, SEE APPENDIX E, SECTION E-9 OF THE SEATTLE STORMWATER MANUAL.
2. VEGETATION COVERAGE OF SELECTED PLANTS MUST ACHIEVE 90-PERCENT COVERAGE WITHIN 2 YEARS OR ADDITIONAL PLANTINGS SHALL BE PROVIDED. UNLESS DESIGNED BY A LICENSED LANDSCAPE ARCHITECT, PROVIDE A MINIMUM OF 1 PLANT PER EVERY 2 SQUARE FEET OF BIORETENTION BOTTOM AND SLOPED SIDE AREA.
3. PROVIDE A MINIMUM OF THREE DIFFERENT SPECIES OF SHRUBS AND HERBACEOUS PLANTS IN EACH FACILITY.

VEGETATED ROOF NOTES

1. APPROPRIATE PLANTS INCLUDE SUCCULENTS, GRASSES, HERBS, AND WILDFLOWERS THAT ARE ADAPTED TO HARSH CONDITIONS. PLANTS MAY BE INSTALLED AS PRE-GROWN MATS, INDIVIDUAL PLUGS, CUTTINGS, OR SPREAD AS SEEDS.
2. VEGETATION COVERAGE OF SELECTED PLANTS MUST ACHIEVE 80-PERCENT COVERAGE WITHIN 2 YEARS OR ADDITIONAL PLANTINGS SHALL BE PROVIDED.
3. A LANDSCAPE MANAGEMENT PLAN SHALL BE DEVELOPED AND IMPLEMENTED.