

# APPENDIX 3D

---

## Sample Notes for Water Services



# I. INTRODUCTION

---

All notes in these sets are illustrative and require review and revision by the Engineer for each project and specific project conditions. These notes may be more appropriate on water plan sheets or on a water service list sheet. **Yellow highlights indicate a note to the designer.**

## 2.1 WATER SERVICE LIST

---

For water service list sheets unless otherwise noted.

1. CONTRACTOR MUST ASSIST SPU WITH WATER SERVICE TRANSFERS, RENEWALS, AND RELOCATIONS PER COS STD SPEC SECTION 7-15 AND COS STD PLAN 316. CONTRACTOR MUST SUPPLY AND INSTALL PIPE, FITTINGS AND VALVES FOR SERVICES GREATER THAN 2 INCHES. SPU WILL PROVIDE ALL MATERIALS FOR SERVICES 2 INCHES AND SMALLER.

## 2.2 WATER SERVICE NOTES

---

For water service notes unless otherwise noted.

1. ALL UNDERGROUND WATER SERVICE PIPING ON PRIVATE PROPERTY MUST BE INSPECTED PRIOR TO BACKFILLING TRENCH. FOR INFORMATION AND INSPECTION, CALL 206-684-5800.
2. WATER SERVICE TRANSFERS, RENEWALS, AND RELOCATIONS AS SHOWN ON THE PLANS AND WATER SERVICE LIST WILL BE MADE BY SPU WITH CONTRACTOR ASSISTANCE. SEE COS STD SPEC SECTION 7-15 AND COS STD PLAN 316.
3. CORROSION PROTECTION: LARGE WATER SERVICES (4" AND LARGER) MUST BE INSTALLED WITH THE SAME CORROSION PROTECTION AS THE WATER MAIN.
4. REPLACEMENT OF WATER METER BOXES AND VAULTS ARE CALLED OUT ON THE WATER SERVICE LIST AND MUST BE FURNISHED AND INSTALLED BY THE CONTRACTOR.
5. REPLACEMENT OF WATER METER BOXES IN DRIVING SURFACES WITH FRAMES AND COVERS HAVING INSPECTION COVERS (F&C W/IC) ARE CALLED OUT ON THE WATER SERVICE LIST AND MUST BE PLACED BY CONTRACTOR.
6. WHERE THE PROPOSED WATER MAIN DESIGNED ELEVATION OR ADJUSTED ELEVATION CROSSES THROUGH THE LOCATION OF EXISTING WATER SERVICES, THE CONTRACTOR MUST COORDINATE WORK WITH SPU WHO WILL PROVIDE AN OFFSET IN THE SERVICE LINE AHEAD OF THE WATER MAIN WORK.

IF NEEDED, ADD THE FOLLOWING:

APPLICATION FOR NEW METERED WATER SERVICE WITH ALL FEES PAID IS REQUIRED 60 TO 90 (OR LONGER IF A WATER MAIN EXTENSION OR ADDITIONAL VALVES ARE NEEDED CHECK WITH DSO) DAYS BEFORE SERVICE WILL BE AVAILABLE. OWNER WILL NEED WATER AVAILABILITY CERTIFICATE AND LEGAL DESCRIPTION OF PROPERTY WHEN MAKING APPLICATION. SEE [HTTP://WWW.SEATTLE.GOV/UTIL/ENGINEERING/DEVELOPMENTSERVICESOFFICE/WATERSERVICE/INDEX.HTM](http://www.seattle.gov/util/engineering/developmentservicesoffice/waterservice/index.htm).